




Car Tube Valve Stem



Tractor Tube Valve Stem



Truck Tube Valve Stem



Truck Tubeless Valve Stem



Car Tubeless Valve Stem

Data Sheet

General Details	Standard	ISO
	Brand Name	KPA
	Model Number	TR414, Tyre Valve
	Advantage	Friendly Environment
	Media	Gas
	Place of Origin	Iran
	Type	Wheel parts
	Structure	Angle
specification	Typical applications	Aire - Azote - Nitrogen
	Max allowable pressure (bar)	7
	Core torque (N.M)	0.23 - 0.56
	Cap torque (N.M)	0.2 - 0.35
	Length (mm)	40
	Weight (gr)	8.26
Material	Main Body	Rubber Compound
	Body	Metal Alloy
	Plug	Metal Alloy
	Plug Screw	Metal Alloy
	Pin	Metal Alloy
	Cup	Metal Alloy
	spring	Stainless steel
	Out Washer	Rubber Compound
	Inner Gasket	Rubber Compound
	Cap	PP
Test Type	Leakage test	24 hours @ 7 bar
	Metal alloy Corrosion test	40 hours
	Hardness (shore A)	65
Packing& Delivery	Packaging Details	100 pcs/bag 10 bags/carton
	Delivery	EX Works - Iran-Tabriz
Supply Ability	800000 Piece	Pieces per Month
Guaranty	18 Months	After installation